

↓ Empfangsrichtung

DOCSIS 3.1								
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)				
1	1	4K	151 - 325	-5.9				
DOCSIS 3.0								
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	2	256QAM	130	-3.2	-40.4	0.32	3329	3049
2	1	256QAM	114	-3.6	-39.0	0.32	1742	2152
3	3	256QAM	138	-3.4	-40.4	0.32	2245	3448
4	4	256QAM	146	-4.0	-39.0	0.32	3409	2980
5	5	256QAM	602	-7.5	-38.6	0.32	0	0
6	6	256QAM	618	-7.1	-38.6	0.32	0	0
7	7	256QAM	626	-6.6	-37.6	0.32	0	0
8	8	256QAM	642	-6.0	-39.0	0.32	0	0
9	9	256QAM	650	-6.3	-39.0	0.32	0	0
10	10	256QAM	658	-5.8	-38.6	0.32	5	0
11	11	256QAM	666	-5.8	-39.0	0.32	0	0
12	12	256QAM	674	-5.9	-38.6	0.32	7	0
13	13	256QAM	682	-6.6	-39.0	0.32	0	0
14	14	256QAM	690	-6.0	-38.6	0.32	0	0

12	12	256QAM	674	-5.9	-38.6	0.32	7	0
13	13	256QAM	682	-6.6	-39.0	0.32	0	0
14	14	256QAM	690	-6.0	-38.6	0.32	0	0
15	15	64QAM	698	-12.3	-34.3	0.32	1	0
16	16	64QAM	706	-12.6	-34.3	0.32	3	0
17	17	64QAM	714	-13.0	-33.9	0.32	0	0
18	18	64QAM	722	-12.6	-34.3	0.32	3	0
19	19	64QAM	730	-12.6	-34.4	0.32	0	0
20	20	64QAM	738	-12.6	-34.3	0.32	6	0
21	21	64QAM	746	-13.9	-33.3	0.32	0	0
22	22	64QAM	754	-12.8	-33.8	0.32	5	0
23	23	64QAM	762	-13.4	-33.8	0.32	0	0
24	24	64QAM	770	-12.9	-34.3	0.32	3	0
25	25	64QAM	778	-13.6	-33.9	0.32	0	0
26	26	64QAM	786	-12.7	-34.4	0.32	0	0
27	27	64QAM	794	-13.2	-34.3	0.32	0	0
28	28	64QAM	802	-12.3	-34.4	0.32	5	0

↑ Senderichtung

DOCSIS 3.1						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)		
1	0	4K	30 - 65	45.5	OFDMA	
DOCSIS 3.0						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren	
1	8	32QAM	31	54.0	ATDMA	
2	5	32QAM	51	52.0	ATDMA	
3	7	32QAM	37	54.0	ATDMA	
4	6	32QAM	45	52.0	ATDMA	