

## Downstream-Kanäle

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Empf. Signalstärke (dBmV/dBμV)	SNR/MER (dB)	Lock Status
193	OFDM	151~324	qam256/qam1024/qam2048/qam4096	3.6/63.6	42.9	JA
11	SC-QAM	666	256 QAM	9.0/69	41.6	JA
1	SC-QAM	114	256 QAM	1.4/61.4	41.3	JA
2	SC-QAM	130	256 QAM	1.6/61.6	41.5	JA
3	SC-QAM	138	256 QAM	1.8/61.8	41.8	JA
4	SC-QAM	146	256 QAM	1.2/61.2	41.2	JA
5	SC-QAM	602	256 QAM	8.6/68.6	41.9	JA
6	SC-QAM	618	256 QAM	8.8/68.8	41.9	JA
7	SC-QAM	626	256 QAM	8.6/68.6	41.9	JA
8	SC-QAM	642	256 QAM	8.8/68.8	41.8	JA
9	SC-QAM	650	256 QAM	9.2/69.2	42.0	JA
10	SC-QAM	658	256 QAM	8.4/68.4	41.8	JA
12	SC-QAM	674	256 QAM	9.1/69.1	41.4	JA
13	SC-QAM	682	256 QAM	8.9/68.9	41.7	JA
14	SC-QAM	690	256 QAM	8.9/68.9	41.7	JA
17	SC-QAM	698	64 QAM	3.6/63.6	36.1	JA
18	SC-QAM	706	64 QAM	3.4/63.4	36.1	JA
19	SC-QAM	714	64 QAM	3.4/63.4	35.9	JA
20	SC-QAM	722	64 QAM	3.6/63.6	35.8	JA
21	SC-QAM	730	64 QAM	2.9/62.9	35.6	JA

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Empf. Signalstärke (dBmV/dBμV)	SNR/MER (dB)	Lock Status
22	SC-QAM	738	64 QAM	2.2/62.2	35.5	JA
23	SC-QAM	746	64 QAM	3.3/63.3	35.9	JA
24	SC-QAM	754	64 QAM	3.5/63.5	35.8	JA
25	SC-QAM	762	64 QAM	3.2/63.2	35.7	JA
26	SC-QAM	770	64 QAM	4.4/64.4	36.2	JA
27	SC-QAM	778	64 QAM	3.5/63.5	35.9	JA
28	SC-QAM	786	64 QAM	3.6/63.6	36.0	JA
29	SC-QAM	794	64 QAM	3.8/63.8	36.1	JA
30	SC-QAM	802	64 QAM	4.3/64.3	36.3	JA
31	SC-QAM	810	64 QAM	3.0/63	36.0	JA
32	SC-QAM	818	64 QAM	4.6/64.6	36.1	JA
33	SC-QAM	826	64 QAM	4.6/64.6	35.8	JA
34	SC-QAM	834	64 QAM	4.8/64.8	36.0	JA

### Upstream-Kanäle

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Send. Signalstärke (dBmV/dBμV)	Ranging Status
9	SC-QAM	58.6	qam64	48.0/108	Erfolgreich
10	SC-QAM	52.2	qam64	47.8/107.8	Erfolgreich
11	SC-QAM	45.8	qam64	47.8/107.8	Erfolgreich
12	SC-QAM	63.4	qam64	45.0/105	Erfolgreich

Target Name: www.google.com  
 IP: 2a00:1450:4001:819::2004  
 Samples Timed: 02.07.2020 20:59:33 - 02.07.2020 21:09:33



Hop	Count	IP	Name	Avg	Min	Cur	PL%	Latency Graph
1	124	2a02:810b:151f:f808:10:18ff:fe67:11a4	kabelbox.local	1,5	0,6	1,9		
2	124	2a02:810b:1:2a::2	2a02:810b:1:2a::2	26,2	15,3	37,3	42,7	
3	124	2a02:8100:4:2::6:501	2a02:8100:4:2::6:501	37,8	8,6	*	48,4	
4	48	2a00::8fff:0:c01:d01:1	2a00::8fff:0:c01:d01:1	20,8	20,8	*	97,9	
5	124	2a00::180:0:60	2a00::180:0:60	29,7	17,2	*	96,0	
6	124	2001:4860:1:1::254	2001:4860:1:1::254	25,3	9,8	*	47,6	
7	124	2001:4860:0:11e2::1	2001:4860:0:11e2::1	30,5	13,6	*	83,1	
8	124	2001:4860:0:1::1959	2001:4860:0:1::1959	27,2	14,7	*	40,3	
9	-	-	-	-	-	*	100,0	
10	124	2a00:1450:4001:819::2004	www.google.com	27,4	11,4	*	41,9	

Round Trip (ms) 27,4




Image generated by PingPlotter Windows 5.18.0.7997 Pro (<http://pingplotter.com>)