

DOCSIS Status

Verschaffen Sie sich einen Überblick über alle DOCSIS-Parameter Ihres Routers.

Downstream-Kanäle

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Empf. Signalstärke (dBmV/dB μ V)	SNR/MER (dB)	Lock Status
193	OFDM	151~324	qam256/qam1024 /qam2048/qam4096	6.3/66.3	43.66	JA
1	SC-QAM	114	256 QAM	10.0/70	43.9	JA
2	SC-QAM	130	256 QAM	9.7/69.7	43.8	JA
3	SC-QAM	138	256 QAM	9.3/69.3	43.9	JA
4	SC-QAM	146	256 QAM	9.1/69.1	43.8	JA
5	SC-QAM	602	256 QAM	7.7/67.7	43.6	JA
6	SC-QAM	618	256 QAM	7.6/67.6	43.3	JA
7	SC-QAM	626	256 QAM	7.8/67.8	43.4	JA
8	SC-QAM	642	256 QAM	8.3/68.3	43.3	JA
9	SC-QAM	650	256 QAM	8.5/68.5	43.4	JA
10	SC-QAM	658	256 QAM	8.6/68.6	43.6	JA
11	SC-QAM	666	256 QAM	8.8/68.8	43.5	JA
12	SC-QAM	674	256 QAM	9.1/69.1	43.4	JA

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Empf. Signalstärke (dBmV/dBμV)	SNR/MER (dB)	Lock Status
13	SC-QAM	682	256 QAM	9.2/69.2	43.7	JA
14	SC-QAM	690	256 QAM	9.5/69.5	43.6	JA
17	SC-QAM	698	64 QAM	3.6/63.6	38.6	JA
18	SC-QAM	706	64 QAM	3.8/63.8	38.7	JA
19	SC-QAM	714	64 QAM	3.9/63.9	38.8	JA
20	SC-QAM	722	64 QAM	4.1/64.1	38.8	JA
21	SC-QAM	730	64 QAM	4.3/64.3	38.9	JA
22	SC-QAM	738	64 QAM	4.4/64.4	39.0	JA
23	SC-QAM	746	64 QAM	4.5/64.5	39.0	JA
24	SC-QAM	754	64 QAM	4.7/64.7	39.1	JA
25	SC-QAM	762	64 QAM	4.9/64.9	39.0	JA
26	SC-QAM	770	64 QAM	5.0/65	39.1	JA
27	SC-QAM	778	64 QAM	5.0/65	39.1	JA
28	SC-QAM	786	64 QAM	5.0/65	39.0	JA
29	SC-QAM	794	64 QAM	5.2/65.2	39.0	JA
30	SC-QAM	802	64 QAM	5.6/65.6	38.9	JA
31	SC-QAM	810	64 QAM	5.6/65.6	39.1	JA

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Empf. Signalstärke (dBmV/dBμV)	SNR/MER (dB)	Lock Status
32	SC-QAM	818	64 QAM	5.6/65.6	39.1	JA
33	SC-QAM	826	64 QAM	5.6/65.6	38.2	JA
34	SC-QAM	834	64 QAM	5.8/65.8	39.3	JA

Upstream-Kanäle

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Send. Signalstärke (dBmV/dBμV)	Ranging Status
9	SC-QAM	58.6	qam64	41.8/101.8	Erfolgreich
10	SC-QAM	52.2	qam64	41.5/101.5	Erfolgreich
11	SC-QAM	45.8	qam64	40.3/100.3	Erfolgreich
12	SC-QAM	63.4	qam64	41.8/101.8	Erfolgreich

- English
- Deutsch
- Türkçe

Firmware-Version: 1.0.9-IMS-KDG

AFTR-Adresse: 2a02:8100:c0:405:0:a:2:af72

WAN-IPv6-Adresse: 2a02:810d:8000:7f:ddc2:389b:6d4b:f47d/62