

## ↓ Empfangsrichtung

DOCSIS 3.0								
Kanal	Kanal ID	Typ	Fre... (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	6	256...	618	4.7	-40.9	0.32	0	0
2	2	256...	146	4.6	-40.9	0.32	7	0
3	3	256...	154	4.8	-40.9	0.32	19	0
4	4	256...	162	4.5	-40.4	0.32	4	0
5	5	256...	602	4.8	-40.9	0.32	1	0
6	1	256...	138	4.6	-40.4	0.32	0	0
7	7	256...	626	5.9	-40.9	0.32	0	0
8	8	256...	642	6.3	-40.9	0.32	0	0
9	9	256...	650	5.7	-40.9	0.32	0	0

7	7	256...	650	5.7	-40.9	0.32	0	0
10	10	256...	658	5.4	-40.9	0.32	0	0
11	11	256...	666	5.7	-40.4	0.32	0	0
12	12	256...	674	6.7	-40.4	0.32	0	0
13	13	256...	682	8.0	-40.9	0.32	12	0
14	14	256...	690	8.9	-40.9	0.32	0	0
15	15	64...	698	2.4	-38.6	0.32	7	0
16	16	64...	706	2.2	-38.6	0.32	6	0
17	17	64...	714	1.7	-38.6	0.32	3	0
18	18	64...	722	1.7	-38.6	0.32	4	0
19	19	64...	730	2.1	-38.6	0.32	5	0
20	20	64...	738	3.0	-38.9	0.32	4	0
21	21	64...	746	3.1	-38.5	0.32	0	0
22	22	64...	754	0.7	-37.9	0.32	0	0
23	23	64...	762	1.7	-37.5	0.32	3	0
24	24	64...	770	1.1	-38.2	0.32	0	0
25	25	64...	778	2.4	-37.5	0.32	5	0
26	26	64...	786	3.0	-38.2	0.32	3	0

27	27	64...	794	4.3	-37.5	0.32	4	0
28	28	64...	802	4.3	-37.5	0.32	0	0

### ↑ Senderichtung

DOCSIS 3.0

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
1	6	64QAM	52	53.0	ATDMA