

DOCSIS 3.1

Ka...	Ka... ID	Typ	Fr... (M...)	Power Level (dBmV)
1	0	4K	151 - 325	2.5

DOCSIS 3.0

Ka...	Ka... ID	Typ	Fr... (M...)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigerbare Fehler	nicht korrigierbare Fehler
1	2	25...	130	3.5	-39.0	0.32	0	0
2	3	25...	138	3.3	-38.6	0.32	0	0
3	4	25...	146	4.1	-39.0	0.32	7	0
4	5	25...	602	3.5	-39.0	0.32	75	0
5	6	25...	618	3.2	-39.0	0.32	47	0
6	7	25...	626	3.0	-38.6	0.32	53	0
7	8	25...	642	0.6	-37.4	0.32	130	0
8	9	25...	650	0.0	-37.4	0.32	135	0

9	10	25...	658	1.1	-38.6	0.32	71	0
10	11	25...	666	1.8	-38.6	0.32	55	0
11	12	25...	674	1.7	-39.0	0.32	105	0
12	13	25...	682	1.6	-39.0	0.32	86	0
13	14	25...	690	1.6	-39.0	0.32	67	0
14	15	64...	698	-4.3	-34.4	0.32	35	0
15	16	64...	706	-3.5	-34.9	0.32	34	0
16	17	64...	714	-3.1	-35.0	0.32	13	0
17	18	64...	722	-2.4	-35.5	0.32	32	0
18	19	64...	730	-2.0	-35.7	0.32	11	0
19	20	64...	738	-3.1	-34.4	0.32	88	0
20	21	64...	746	-2.0	-35.7	0.32	19	0
21	22	64...	754	-2.8	-34.9	0.32	16	0
22	23	64...	762	-1.8	-35.5	0.32	16	0
23	24	64...	770	-1.6	-35.7	0.32	14	0
24	25	64...	778	-2.3	-35.0	0.32	46	0
25	26	64...	786	-1.9	-35.7	0.32	39	0

26	27	64...	794	-1.5	-35.7	0.32	26	0
27	28	64...	802	-1.0	-35.7	0.32	40	0
28	29	64...	810	-0.8	-35.7	0.32	36	0
29	30	64...	818	0.2	-36.6	0.32	7	0
30	31	64...	826	0.0	-36.6	0.32	13	0
31	32	64...	834	0.0	-36.6	0.32	2	0
32	1	25...	114	3.5	-39.0	0.32	0	0

↑ Senderichtung

DOCSIS 3.1

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	
1	0	4K	30 - 65	38.0	OFDMA

DOCSIS 3.0

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
1	1	64QAM	51	44.0	ATDMA
2	4	64QAM	31	44.0	ATDMA

3	3	64QAM	37	44.0	ATDMA
4	2	64QAM	45	44.0	ATDMA