

----15:09-----

~ iperf3 -c ping6.online.net -p 5209

Connecting to host ping6.online.net, port 5209

[5] local ***** port 52404 connected to 2001:bc8:1::40 port 5209

[ID]	Interval		Transfer	Bitrate	Retr	Cwnd	
[5]	0.00-1.00	sec	996 KBytes	8.16 Mb/s	35	23.7 KBytes	
[5]	1.00-2.00	sec	377 KBytes	3.08 Mb/s	7	11.2 KBytes	
[5]	2.00-3.00	sec	188 KBytes	1.54 Mb/s	7	8.37 KBytes	
[5]	3.00-4.00	sec	0.00 Bytes	0.00 bits/sec	9	2.79 KBytes	
[5]	4.00-5.00	sec	0.00 Bytes	0.00 bits/sec	2	1.39 KBytes	
[5]	5.00-6.00	sec	0.00 Bytes	0.00 bits/sec	2	2.79 KBytes	
[5]	6.00-7.00	sec	188 KBytes	1.54 Mb/s	4	4.18 KBytes	
[5]	7.00-8.00	sec	0.00 Bytes	0.00 bits/sec	0	15.3 KBytes	
[5]	8.00-9.00	sec	188 KBytes	1.54 Mb/s	6	13.9 KBytes	
[5]	9.00-10.00	sec	377 KBytes	3.08 Mb/s	7	12.6 KBytes	

[ID]	Interval		Transfer	Bitrate	Retr		
[5]	0.00-10.00	sec	2.26 MBytes	1.90 Mb/s	79		sender
[5]	0.00-10.00	sec	1.82 MBytes	1.53 Mb/s			receiver

iperf Done.

----15:10-----

~ iperf3 -c ping6.online.net -p 5209

Connecting to host ping6.online.net, port 5209

[5] local ***** port 50162 connected to 62.210.18.40 port 5209

[ID]	Interval		Transfer	Bitrate	Retr	Cwnd	
[5]	0.00-1.00	sec	738 KBytes	6.05 Mb/s	20	14.1 KBytes	
[5]	1.00-2.00	sec	127 KBytes	1.04 Mb/s	9	5.66 KBytes	
[5]	2.00-3.00	sec	255 KBytes	2.09 Mb/s	4	7.07 KBytes	
[5]	3.00-4.00	sec	127 KBytes	1.04 Mb/s	6	7.07 KBytes	
[5]	4.00-5.00	sec	0.00 Bytes	0.00 bits/sec	6	7.07 KBytes	
[5]	5.00-6.00	sec	382 KBytes	3.13 Mb/s	0	25.5 KBytes	
[5]	6.00-7.00	sec	382 KBytes	3.13 Mb/s	12	11.3 KBytes	
[5]	7.00-8.00	sec	127 KBytes	1.04 Mb/s	4	12.7 KBytes	
[5]	8.00-9.00	sec	255 KBytes	2.09 Mb/s	2	17.0 KBytes	
[5]	9.00-10.00	sec	127 KBytes	1.04 Mb/s	4	11.3 KBytes	

[ID]	Interval		Transfer	Bitrate	Retr		
[5]	0.00-10.00	sec	2.46 MBytes	2.06 Mb/s	67		sender
[5]	0.00-10.00	sec	2.21 MBytes	1.85 Mb/s			receiver

iperf Done.

- Device Info
- Access Control
- Management
- Spectrum Analyzer
- FTP Monitor
- Cable Modem Docsis
- CM SW Info
- CM Connection
- CM Event Log
- Logout

Downstream Channel Status

Channel Index	Channel ID	Lock Status	Channel Type	Bonding Status	Center Frequency	Channel Width	SNR/MER	Threshold Value	Received Level	Modulation/Profile ID	Unerrored Codewords	Corrected Codewords	Uncorrectable Codewords
1	33	Locked	SC-QAM	Bonded	289000000 Hz	174000 Hz	39.5 dB	39.5 dB	7.7 dBmV	0.1	14617359	19661958	0
2	1	Locked	SC-QAM	Bonded	114000000 Hz	800000 Hz	39.8 dB	39.8 dB	6.5 dBmV	QAM256	5286596	0	0
3	2	Locked	SC-QAM	Bonded	130000000 Hz	800000 Hz	40.0 dB	40.0 dB	6.7 dBmV	QAM256	5337484	0	0
4	3	Locked	SC-QAM	Bonded	138000000 Hz	800000 Hz	39.9 dB	39.9 dB	6.3 dBmV	QAM256	5338952	0	0
5	4	Locked	SC-QAM	Bonded	146000000 Hz	800000 Hz	39.6 dB	39.6 dB	6.1 dBmV	QAM256	5327923	0	0
6	5	Locked	SC-QAM	Bonded	602000000 Hz	800000 Hz	39.5 dB	39.5 dB	8.6 dBmV	QAM256	5341278	0	0
7	6	Locked	SC-QAM	Bonded	618000000 Hz	800000 Hz	39.4 dB	39.4 dB	8.2 dBmV	QAM256	5342406	0	0
8	7	Locked	SC-QAM	Bonded	626000000 Hz	800000 Hz	39.8 dB	39.8 dB	8.3 dBmV	QAM256	5342982	0	0
9	8	Locked	SC-QAM	Bonded	642000000 Hz	800000 Hz	39.5 dB	39.5 dB	7.7 dBmV	QAM256	5345283	0	0
10	9	Locked	SC-QAM	Bonded	650000000 Hz	800000 Hz	39.4 dB	39.4 dB	7.5 dBmV	QAM256	5346833	0	0
11	10	Locked	SC-QAM	Bonded	658000000 Hz	800000 Hz	39.1 dB	39.1 dB	6.9 dBmV	QAM256	5347883	0	0
12	11	Locked	SC-QAM	Bonded	666000000 Hz	800000 Hz	39.5 dB	39.5 dB	7.2 dBmV	QAM256	5349587	0	0
13	12	Locked	SC-QAM	Bonded	674000000 Hz	800000 Hz	39.1 dB	39.1 dB	7.0 dBmV	QAM256	5350985	0	0
14	13	Locked	SC-QAM	Bonded	682000000 Hz	800000 Hz	39.6 dB	39.6 dB	7.0 dBmV	QAM256	5352325	0	0
15	14	Locked	SC-QAM	Bonded	690000000 Hz	800000 Hz	39.4 dB	39.4 dB	6.8 dBmV	QAM256	5352442	0	0
16	15	Locked	SC-QAM	Bonded	698000000 Hz	800000 Hz	34.2 dB	34.2 dB	1.2 dBmV	QAM64	4024295	0	0
17	16	Locked	SC-QAM	Bonded	706000000 Hz	800000 Hz	33.7 dB	33.7 dB	0.8 dBmV	QAM64	4027329	0	0
18	17	Locked	SC-QAM	Bonded	714000000 Hz	800000 Hz	33.1 dB	33.1 dB	-0.1 dBmV	QAM64	4031902	0	0
19	18	Locked	SC-QAM	Bonded	722000000 Hz	800000 Hz	33.0 dB	33.0 dB	-0.2 dBmV	QAM64	4020042	0	0
20	19	Locked	SC-QAM	Bonded	730000000 Hz	800000 Hz	33.7 dB	33.7 dB	0.5 dBmV	QAM64	4020867	0	0
21	20	Locked	SC-QAM	Bonded	738000000 Hz	800000 Hz	34.0 dB	34.0 dB	0.6 dBmV	QAM64	4021946	0	0
22	21	Locked	SC-QAM	Bonded	746000000 Hz	800000 Hz	34.1 dB	34.1 dB	0.5 dBmV	QAM64	4022081	0	0
23	22	Locked	SC-QAM	Bonded	754000000 Hz	800000 Hz	34.3 dB	34.3 dB	0.9 dBmV	QAM64	4024060	0	0
24	23	Locked	SC-QAM	Bonded	762000000 Hz	800000 Hz	33.7 dB	33.7 dB	0.1 dBmV	QAM64	4025242	0	0
25	24	Locked	SC-QAM	Bonded	770000000 Hz	800000 Hz	33.8 dB	33.8 dB	0.3 dBmV	QAM64	4026228	0	0
26	25	Locked	SC-QAM	Bonded	778000000 Hz	800000 Hz	33.3 dB	33.3 dB	-0.4 dBmV	QAM64	4027230	0	0
27	26	Locked	SC-QAM	Bonded	786000000 Hz	800000 Hz	34.1 dB	34.1 dB	0.6 dBmV	QAM64	4028383	0	0
28	27	Locked	SC-QAM	Bonded	794000000 Hz	800000 Hz	33.3 dB	33.3 dB	0.6 dBmV	QAM64	4029091	0	0
29	28	Locked	SC-QAM	Bonded	802000000 Hz	800000 Hz	34.2 dB	34.2 dB	1.0 dBmV	QAM64	4030335	0	0
30	29	Locked	SC-QAM	Bonded	810000000 Hz	800000 Hz	34.5 dB	34.5 dB	1.2 dBmV	QAM64	4031352	0	0
31	30	Locked	SC-QAM	Bonded	818000000 Hz	800000 Hz	34.3 dB	34.3 dB	0.7 dBmV	QAM64	4032248	0	0
32	31	Locked	SC-QAM	Bonded	826000000 Hz	800000 Hz	34.1 dB	34.1 dB	0.5 dBmV	QAM64	4033219	0	0
33	32	Locked	SC-QAM	Bonded	834000000 Hz	800000 Hz	33.3 dB	33.3 dB	-0.6 dBmV	QAM64	4032474	0	0

Upstream Channel Status

Channel Index	Channel ID	Lock Status	Channel Type	Bonding Status	Center Frequency	Channel Width	Transmit Level	Modulation/Profile ID
1	5	Locked	SC-QAM	Bonded	58600000 Hz	640000 Hz	45.0 dBmV	ATDMA
2	6	Locked	SC-QAM	Bonded	52200000 Hz	640000 Hz	45.0 dBmV	ATDMA
3	7	Locked	SC-QAM	Bonded	45800000 Hz	640000 Hz	45.0 dBmV	ATDMA
4	8	Locked	SC-QAM	Bonded	39200000 Hz	640000 Hz	45.0 dBmV	ATDMA



Dein Tarif 1000 Mbit/s Download 50 Mbit/s Upload

Hier sind Deine Messergebnisse

Download

940
Mbit/s

Download-Geschwindigkeit
Gemessen von unserem Server zu
Deinem Computer

94% Deines gebuchten Tarifs
(1000 Mbit/s)

Upload

9
Mbit/s

Upload-Geschwindigkeit
Gemessen von Deinem Computer zu
unserem Server

18% Deines gebuchten Tarifs
(50 Mbit/s)

Ping

22
ms

Ping
Reaktionszeit Deines Anschlusses
22 Millisekunden

Tipps zur Optimierung

Bisherige Testergebnisse

Speedtest-ID: nbthph6845xh | IP-Adresse: [REDACTED] | Anbleter: Vodafone GmbH

Wireshark I/O Graphen: enp0s31f6

