Rx. Power


SNR/MER



Channel

Frequency

	Cles nel	Channel	Frequency	25 2 2 4	Rx. Power	SNR/MER	L MAN CO
-	ID	Туре	(MHz)	Modulation	$(dBmV/dB\mu V)$	(dB)	Status
	33	OFDM	151~325.0	256-qam/1024- qam	7.9/67.9	43.14	YES
	1	SC-QAM	114	256-QAM	11.1/71.1	41.9	YES
	2	SC-QAM	130	256 - QAM	11.3/71.3	42.0	YES
	3	SC-QAM	138	256-QAM	10.9/70.9	42.2	YES
	4	SC-QAM	146	256-QAM	10.9/70.9	42.2	YES
	5	SC-QAM	602	256-QAM	2.5/62.5	39.2	YES
	6	SC-QAM	618	256-QAM	1.9/61.9	38.9	YES
	7	SC-QAM	626	256-QAM	2.2/62.2	39.1	YES
	8	SC-QAM	642	256 - QAM	2.5/62.5	39.4	YES
	9	SC-QAM	650	256-QAM	3.1/63.1	39.9	YES
	10	SC-QAM	658	256-QAM	3.1/63.1	39.9	YES
	11	SC-QAM	666	256-QAM	3.2/63.2	40.0	YES
	12	SC-QAM	674	256-QAM	3.1/63.1	39.6	YES
	13	SC-QAM	682	256-QAM	3.1/63.1	40.1	YES
	14	SC-QAM	690	256-QAM	3.3/63.3	40.2	YES
	15	SC-QAM	698	64-QAM	-2.7/57.3	34.5	YES
	16	SC-QAM	706	64-QAM	-2.4/57.6	34.9	YES



Upstream Channel(s)

Channel ID Channel Type Frequency (MHz) Modulation Tx. Power (dBmV/dBμV) Ranging Status



Chest nel ID	Channel Type	Frequency (MHz)	Modulation	Tx. Power (dBmV/dBμV)	Ranging Stat
10	OFDMA	29.8~64.8	16-qam	40.2/100.2	SUCCESS
5	SC-QAM	51.0	64-qam	47.8/107.8	SUCCESS
6	SC-QAM	44.6	32-qam	47.8/107.8	SUCCESS
7	SC-QAM	37.2	32 - qam	45.8/105.8	SUCCESS
8	SC-QAM	30.8	64-qam	45.8/105.8	SUCCESS

• English

• Deutsch

Firmware version: 2.0.17-IMS-KDG

AFTR Address: 2a02:8100:c0:405:0:a:2:af72

WAN IPv6 Address: 2a02:810d:8000:20:d135:10db:a6d4:bf39/62