

↓ Empfangsrichtung

DOCSIS 3.1

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)
1	0	4K	151 - 325	4.1

DOCSIS 3.0

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	1	256QAM	114	5.5	-40.9	0.32	156	23
2	2	256QAM	130	5.7	-40.4	0.32	78	38
3	3	256QAM	138	5.5	-40.4	0.32	84	3
4	4	256QAM	146	5.4	-40.4	0.32	69	23
5	5	256QAM	602	5.1	-35.8	0.32	36	0
6	6	256QAM	618	4.4	-36.4	0.32	0	0

7	7	256QAM	626	5.1	-36.4	0.32	4	0
8	8	256QAM	642	4.4	-36.6	0.32	3	0
9	9	256QAM	650	5.2	-36.6	0.32	10	0
10	10	256QAM	658	5.4	-36.4	0.32	7	0
11	11	256QAM	666	5.3	-35.8	0.32	47	0
12	12	256QAM	674	5.3	-36.4	0.32	15	0
13	13	256QAM	682	5.1	-35.8	0.32	17	0
14	14	256QAM	690	5.2	-35.8	0.32	10	0
15	17	64QAM	698	-0.4	-34.9	0.32	0	0
16	18	64QAM	706	-0.4	-34.4	0.32	0	0
17	19	64QAM	714	-0.1	-34.4	0.32	6	0
18	20	64QAM	722	-0.2	-34.3	0.32	5	0
19	21	64QAM	730	-0.4	-34.4	0.32	0	0
20	22	64QAM	738	-0.5	-34.4	0.32	0	0
21	23	64QAM	746	-0.2	-34.4	0.32	0	0

22	24	64QAM	754	0.4	-34.3	0.32	0	0
23	25	64QAM	762	0.6	-34.3	0.32	4	0
24	26	64QAM	770	0.6	-34.4	0.32	7	0
25	27	64QAM	778	0.0	-33.8	0.32	0	0
26	28	64QAM	786	1.1	-34.3	0.32	4	0
27	29	64QAM	794	1.8	-34.3	0.32	5	0
28	30	64QAM	802	1.9	-33.8	0.32	0	0
29	31	64QAM	810	2.5	-33.9	0.32	5	0
30	32	64QAM	818	2.8	-34.3	0.32	3	0
31	33	64QAM	826	2.4	-33.9	0.32	0	0
32	34	64QAM	834	3.3	-33.9	0.32	0	0

DOCSIS 3.1						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)		
1	0	4K	30 - 65	40.8	OFDMA	
DOCSIS 3.0						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren	
1	12	64QAM	31	45.3	ATDMA	
2	9	64QAM	51	46.3	ATDMA	
3	11	64QAM	37	45.5	ATDMA	
4	10	64QAM	45	46.3	ATDMA	