

↓ Empfangsrichtung

DOCSIS 3.1

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)
1	1	4K	151 - 325	7.6

DOCSIS 3.0

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	5	256QAM	602	9.0	-40.4	0.32	231	0
2	2	256QAM	130	8.6	-40.4	0.32	747	0
3	3	256QAM	138	8.5	-40.9	0.32	408	0
4	4	256QAM	146	8.5	-40.4	0.32	497	15
5	1	256QAM	114	9.8	-40.4	0.32	364	0
6	6	256QAM	618	9.1	-40.4	0.32	217	12
7	7	256QAM	626	9.1	-39.0	0.32	278	0
8	8	256QAM	642	10.0	-40.9	0.32	241	3
9	9	256QAM	650	10.3	-40.9	0.32	268	31
10	10	256QAM	658	10.0	-40.4	0.32	222	22

10	10	256QAM	658	10.3	-40.4	0.32	292	38
11	11	256QAM	666	10.4	-40.4	0.32	337	35
12	12	256QAM	674	10.6	-40.4	0.32	321	37
13	13	256QAM	682	10.8	-40.4	0.32	360	26
14	14	256QAM	690	11.6	-40.4	0.32	328	25
15	15	64QAM	698	5.6	-36.3	0.32	42	6
16	16	64QAM	706	5.5	-36.6	0.32	36	12
17	17	64QAM	714	6.0	-37.3	0.32	42	6
18	18	64QAM	722	5.7	-37.3	0.32	39	13
19	19	64QAM	730	4.9	-36.3	0.32	44	13
20	20	64QAM	738	5.3	-36.6	0.32	39	25
21	21	64QAM	746	4.8	-36.6	0.32	61	27
22	22	64QAM	754	4.6	-36.6	0.32	77	14
23	23	64QAM	762	4.8	-36.6	0.32	81	18
24	24	64QAM	770	4.6	-36.6	0.32	65	36
25	25	64QAM	778	4.7	-36.3	0.32	88	37
26	26	64QAM	786	4.7	-36.3	0.32	86	52
27	27	64QAM	794	4.2	-36.3	0.32	120	66
28	28	64QAM	802	4.6	-36.3	0.32	141	37

↑ Senderichtung

DOCSIS 3.1

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	
1	0	4K	30 - 65	43.0	OFDMA
DOCSIS 3.0					
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
1	1	64QAM	51	47.0	ATDMA
2	4	32QAM	31	47.0	ATDMA
3	3	64QAM	37	47.0	ATDMA
4	2	64QAM	45	47.0	ATDMA