

## ↓ Empfangsrichtung

## DOCSIS 3.1

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)
1	0	4K	135 - 325	-1.3
2	1	4K	751 - 861	-4.2

## DOCSIS 3.0

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	16	256QAM	682	-2.8	-38.6	0.32	45	0
2	1	256QAM	114	3.6	-40.9	0.32	883	0
3	2	256QAM	130	3.1	-40.9	0.32	1420	14
4	3	256QAM	570	-4.3	-38.6	0.32	113265	0
5	4	256QAM	578	-3.9	-38.6	0.32	8	0
6	5	256QAM	586	-3.4	-38.6	0.32	11	0
7	6	256QAM	594	-3.5	-38.6	0.32	12	0
8	7	256QAM	602	-4.0	-38.6	0.32	15	0
9	8	256QAM	618	-3.3	-38.6	0.32	15	0
10	9	256QAM	626	-2.9	-38.6	0.32	10	0
11	10	256QAM	634	-3.4	-38.6	0.32	11	0
12	11	256QAM	642	-3.5	-38.6	0.32	3	0

13	12	256QAM	650	-3.3	-38.6	0.32	6	0
14	13	256QAM	658	-3.2	-38.6	0.32	11	0
15	14	256QAM	666	-3.3	-37.6	0.32	8	0
16	15	256QAM	674	-3.4	-37.6	0.32	8	0
17	17	256QAM	690	-2.7	-38.6	0.32	11	0
18	18	256QAM	698	-2.9	-37.6	0.32	10	0
19	19	256QAM	706	-2.8	-37.6	0.32	6	0
20	20	256QAM	714	-2.0	-38.6	0.32	8	0
21	21	256QAM	722	-1.7	-38.6	0.32	19	0
22	22	256QAM	730	-2.3	-38.6	0.32	126	0
23	23	256QAM	738	-2.2	-38.6	0.32	4	0
24	24	256QAM	746	-1.8	-38.6	0.32	5	0

↑ Senderichtung

DOCSIS 3.1						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)		
1	0	4K	54 - 65	38.2	OFDMA	
DOCSIS 3.0						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren	
1	3	16QAM	45	42.5	ATDMA	
2	2	16QAM	37	42.3	ATDMA	
3	4	16QAM	51	42.8	ATDMA	
4	1	16QAM	31	42.0	ATDMA	