

Internet > Kabel-Informationen

↓ Empfangsrichtung

DOCSIS 3.1							
Kanal ID	Modu...	Frequ... (MHz)	Power Level (dBmV)	MER (dB)	PLC (MHz)	FFT Größe	nicht korrigierbare Fehler
193	4096...	-	1.6	39	823	4K	21
		750.975 860.975					
194	4096...	-	-1.6	41	441	4K	2201
		398.975 460.975					

DOCSIS 3.0							
Kanal ID	Modu...	Frequ... (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
5	256Q...	522.000	0.1	-39.0	0.32	2	0
3	256Q...	490.000	-0.9	-38.6	0.32	7	0
4	256Q...	498.000	-0.9	-38.6	0.32	0	0
6	256Q...	530.000	0.2	-39.0	0.32	7	0
7	256Q...	538.000	0.1	-39.0	0.32	0	0
8	256Q...	546.000	0.4	-39.0	0.32	0	0
9	256Q...	554.000	0.6	-39.0	0.32	0	0
10	256Q...	562.000	1.0	-39.0	0.32	0	0
11	256Q...	570.000	1.2	-39.0	0.32	6	0
12	256Q...	578.000	1.4	-39.0	0.32	7	0
13	256Q...	586.000	1.7	-40.4	0.32	6	0
14	256Q...	594.000	1.9	-39.0	0.32	0	0
15	256Q...	602.000	2.1	-40.4	0.32	0	0

16	256Q...	618.000	2.8	-40.4	0.32	0	0
17	256Q...	626.000	2.8	-40.4	0.32	7	0
18	256Q...	634.000	2.8	-40.4	0.32	6	0
19	256Q...	642.000	3.0	-40.4	0.32	0	0
20	256Q...	650.000	3.2	-40.4	0.32	0	0
21	256Q...	658.000	3.6	-40.9	0.32	0	0
22	256Q...	666.000	3.7	-40.9	0.32	0	0
23	256Q...	674.000	3.9	-40.4	0.32	14	0
24	256Q...	682.000	3.9	-40.4	0.32	6	0
25	256Q...	690.000	4.0	-40.4	0.32	7	0
26	256Q...	698.000	4.2	-40.4	0.32	8	0
27	256Q...	706.000	4.2	-40.9	0.32	25	0
28	256Q...	730.000	3.6	-39.0	0.32	6	0
29	256Q...	738.000	3.6	-40.4	0.32	0	0
30	256Q...	746.000	4.4	-40.4	0.32	0	0
1	256Q...	474.000	-1.6	-38.6	0.32	1	0
2	256Q...	482.000	-1.4	-38.6	0.32	2	0

↑ Senderichtung

DOCSIS 3.1					
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Aktive Subcarrier	FFT Größe
41	32QAM	29.775 - 64.775	36.5	640	2K

DOCSIS 3.0				
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
2	16QAM	37.200	43.5	ATDMA
4	64QAM	51.000	43.0	ATDMA
3	64QAM	44.600	43.0	ATDMA

1	16QAM	30.800	44.3	ATDMA
---	-------	--------	------	-------