

↓ Empfangsrichtung

DOCSIS 3.0								
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	12	256QAM	650	-4.3	-37.6	0.32	9	0
2	2	256QAM	130	5.3	-40.4	0.32	6	0
3	3	256QAM	570	-4.9	-36.6	0.32	11	0
4	4	256QAM	578	-4.9	-37.6	0.32	9	0
5	5	256QAM	586	-4.9	-37.6	0.32	16	0
6	6	256QAM	594	-5.3	-37.6	0.32	9	0
7	7	256QAM	602	-5.3	-37.4	0.32	11	0
8	8	256QAM	618	-5.1	-37.4	0.32	15	0
9	9	256QAM	626	-4.7	-37.6	0.32	15	0
10	10	256QAM	634	-5.6	-37.4	0.32	13	0
11	11	256QAM	642	-5.0	-37.4	0.32	25	0
12	1	256QAM	114	5.9	-40.4	0.32	14	0
13	13	256QAM	658	-5.2	-37.4	0.32	21	0
14	14	256QAM	666	-4.1	-37.6	0.32	9	0
15	15	256QAM	674	-3.5	-37.6	0.32	3	0
16	16	256QAM	682	-4.2	-37.6	0.32	11	0
17	17	256QAM	690	-3.3	-37.4	0.32	2	0
18	18	64QAM	698	-9.8	-32.3	0.32	7	0
19	19	64QAM	706	-10.2	-31.6	0.32	9	0
20	20	64QAM	714	-9.8	-31.6	0.32	8	0
21	21	64QAM	722	-10.0	-32.1	0.32	9	0
22	22	64QAM	730	-10.2	-32.5	0.32	9	0
23	23	64QAM	738	-10.3	-31.8	0.32	7	0
24	24	64QAM	746	-10.4	-31.7	0.32	4	0
25	25	64QAM	754	-10.3	-32.1	0.32	0	0
26	26	64QAM	762	-11.1	-31.5	0.32	5	0

27	27	64QAM	770	-10.9	-31.6	0.32	5	0
28	28	64QAM	778	-11.9	-30.9	0.32	28	0

↑ Senderichtung

DOCSIS 3.0					
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
1	1	32QAM	51	46.8	ATDMA
2	4	8QAM	31	48.0	ATDMA
3	3	64QAM	37	47.0	ATDMA
4	2	64QAM	45	47.0	ATDMA