



Übersicht

Kanäle

Einstellungen

↓ Empfangsrichtung

DOCSIS 3.1

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)
1	0	4K	135 - 325	-2.6

DOCSIS 3.0

Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	3	256QAM	570	-2.9	-38.6	0.32	5	0
2	4	256QAM	578	-2.1	-38.6	0.32	19	18
3	5	256QAM	586	-2.3	-39.0	0.32	36	0
4	2	256QAM	130	-2.4	-38.6	0.32	10697	7509
5	6	256QAM	594	-2.2	-38.6	0.32	296412	82
6	7	256QAM	602	-2.3	-39.0	0.32	23169	0
7	8	256QAM	618	-2.5	-38.6	0.32	3	0
8	9	256QAM	626	-2.6	-38.6	0.32	25	0
9	10	256QAM	634	-2.6	-38.6	0.32	5779	0
10	11	256QAM	642	-2.4	-39.0	0.32	995	1
11	12	256QAM	650	-2.0	-39.0	0.32	15	0
12	13	256QAM	658	-2.8	-37.6	0.32	30779033	203
13	14	256QAM	666	-2.6	-39.0	0.32	5	0

14	15	256QAM	674	-2.2	-39.0	0.32	22	15
15	16	256QAM	682	-2.3	-39.0	0.32	22	0
16	17	256QAM	690	-2.6	-38.6	0.32	5	0
17	18	64QAM	698	-8.6	-35.0	0.32	1	0
18	19	64QAM	706	-9.0	-34.9	0.32	2	0
19	20	64QAM	714	-8.2	-35.5	0.32	3	0
20	21	64QAM	722	-7.7	-35.5	0.32	7	0
21	22	64QAM	730	-7.8	-35.0	0.32	4	0
22	23	64QAM	738	-7.7	-35.0	0.32	2	0
23	24	64QAM	746	-7.7	-35.0	0.32	3	0
24	25	64QAM	754	-6.7	-35.5	0.32	7	0
25	26	64QAM	762	-7.2	-35.5	0.32	0	0
26	27	64QAM	770	-6.1	-35.7	0.32	0	0
27	28	64QAM	778	-6.6	-35.5	0.32	0	0
28	29	64QAM	786	-6.7	-35.5	0.32	0	0
29	30	64QAM	794	-6.1	-35.7	0.32	0	0
30	31	64QAM	802	-6.4	-35.5	0.32	0	0
31	32	64QAM	810	-8.0	-34.9	0.32	0	0
32	1	256QAM	114	-2.9	-39.0	0.32	16087	7262

↑ Senderichtung

DOCSIS 3.1						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)		
1	0	4K	30 - 65	42.2	OFDMA	
DOCSIS 3.0						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren	
1	1	64QAM	51	48.3	ATDMA	
2	4	64QAM	31	46.3	ATDMA	
3	3	64QAM	37	48.3	ATDMA	
4	2	64QAM	45	48.3	ATDMA	