



↓ Empfangsrichtung

DOCSIS 3.1									
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MER (dB)	PLC (MHz)	FFT Größe	nicht korrigierbare Fehler		
193	4096QAM	134.975 - 324.975	1.1	43	264	4K	0	-2.2	
194	4096QAM	750.975 - 860.975	-9.4	35	822	4K	90	-4.3	

DOCSIS 3.0							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
3	256QAM	570.000	-1.0	-39.0	0.32	0	0
4	256QAM	578.000	-1.0	-39.0	0.32	0	0
5	256QAM	586.000	-0.9	-39.0	0.32	0	0
6	256QAM	594.000	-0.7	-38.6	0.32	0	0
7	256QAM	602.000	-0.4	-38.6	0.32	0	0
8	256QAM	618.000	-0.1	-39.0	0.32	0	0
9	256QAM	626.000	0.0	-38.6	0.32	0	0
10	256QAM	634.000	0.4	-39.0	0.32	7	0
11	256QAM	642.000	0.5	-38.6	0.32	0	0
12	256QAM	650.000	0.6	-38.6	0.32	0	0
13	256QAM	658.000	0.5	-38.6	0.32	0	0
14	256QAM	666.000	0.7	-39.0	0.32	0	0
15	256QAM	674.000	1.0	-39.0	0.32	7	0
16	256QAM	682.000	0.5	-39.0	0.32	0	0
17	256QAM	690.000	0.2	-39.0	0.32	8	0
1	256QAM	114.000	1.1	-40.4	0.32	0	0
2	256QAM	130.000	0.9	-40.9	0.32	0	0
18	256QAM	698.000	-0.2	-39.0	0.32	0	0
19	256QAM	706.000	-0.1	-39.0	0.32	0	0
20	256QAM	714.000	0.1	-38.6	0.32	6	0
21	256QAM	722.000	-0.1	-38.6	0.32	0	0
22	256QAM	730.000	-0.5	-38.6	0.32	9	0
23	256QAM	738.000	-1.5	-39.0	0.32	0	0
24	256QAM	746.000	-2.1	-38.6	0.32	0	0

↑ Senderichtung

DOCSIS 3.1					
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Aktive Subcarrier	FFT Größe
41	128QAM	29.775 - 64.775	35.2	640	2K

DOCSIS 3.0				
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
4	64QAM	51.000	42.0	ATDMA
1	64QAM	30.800	42.3	ATDMA
3	64QAM	44.600	41.5	ATDMA
2	64QAM	37.200	42.0	ATDMA