

- [Status](#)
  - [Telefonie Status](#)
  - [LAN Status](#)
  - [DOCSIS Status](#)
- [Diagnose](#)
- [Neustart](#)
- [Über](#)
- [Ereignisprotokoll](#)

# DOCSIS Status

**Verschaffen Sie sich einen Überblick über alle DOCSIS-Parameter Ihres Routers.**

## Downstream-Kanäle

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Empf. Signalstärke (dBmV/dBμV)	SNR/MER (dB)	Lock Status
33	OFDM	135~325.0	256-qam/1024-qam/4096-qam	2.5/62.5	42.59	JA
16	SC-QAM	682	256-QAM	4.0/64	41.1	JA
1	SC-QAM	114	256-QAM	3.8/63.8	42.4	JA
2	SC-QAM	130	256-QAM	3.9/63.9	42.9	JA
3	SC-QAM	570	256-QAM	1.5/61.5	39.8	JA
4	SC-QAM	578	256-QAM	1.8/61.8	40.0	JA
5	SC-QAM	586	256-QAM	2.4/62.4	40.4	JA
6	SC-QAM	594	256-QAM	1.9/61.9	40.0	JA
7	SC-QAM	602	256-QAM	2.4/62.4	40.5	JA
8	SC-QAM	618	256-QAM	2.7/62.7	40.6	JA
9	SC-QAM	626	256-QAM	3.0/63	40.8	JA

<b>Kanal ID</b>	<b>Kanaltyp</b>	<b>Frequenz (MHz)</b>	<b>Modulation</b>	<b>Empf. Signalstärke (dBmV/dBμV)</b>	<b>SNR/MER (dB)</b>	<b>Lock Status</b>
10	SC-QAM	634	256-QAM	2.8/62.8	40.5	JA
11	SC-QAM	642	256-QAM	3.2/63.2	40.9	JA
12	SC-QAM	650	256-QAM	3.8/63.8	41.0	JA
13	SC-QAM	658	256-QAM	4.0/64	41.0	JA
14	SC-QAM	666	256-QAM	4.2/64.2	41.2	JA
15	SC-QAM	674	256-QAM	4.2/64.2	40.8	JA
17	SC-QAM	690	256-QAM	4.2/64.2	41.3	JA
18	SC-QAM	698	64-QAM	-1.6/58.4	35.8	JA
19	SC-QAM	706	64-QAM	-1.5/58.5	35.9	JA
20	SC-QAM	714	64-QAM	-1.3/58.7	35.8	JA
21	SC-QAM	722	64-QAM	-1.3/58.7	36.0	JA
22	SC-QAM	730	64-QAM	0.7/60.7	36.2	JA
23	SC-QAM	738	64-QAM	0.8/60.8	36.1	JA
24	SC-QAM	746	64-QAM	0.2/60.2	36.4	JA
25	SC-QAM	754	64-QAM	-1.2/58.8	35.5	JA
26	SC-QAM	762	64-QAM	-1.2/58.8	35.6	JA
27	SC-QAM	770	64-QAM	0.9/60.9	35.8	JA
28	SC-QAM	778	64-QAM	-1.1/58.9	35.6	JA

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Empf. Signalstärke (dBmV/dBμV)	SNR/MER (dB)	Lock Status
29	SC-QAM	786	64-QAM	0.6/60.6	35.8	JA
30	SC-QAM	794	64-QAM	0.5/60.5	35.6	JA
31	SC-QAM	802	64-QAM	0.3/60.3	35.9	JA
32	SC-QAM	810	64-QAM	0.0/60	36.0	JA

## Upstream-Kanäle

Kanal ID	Kanaltyp	Frequenz (MHz)	Modulation	Send. Signalstärke (dBmV/dBμV)	Ranging Status
10	OFDMA	29.8~	16-qam	43.2/103.2	Erfolgreich
5	SC-QAM	51.0	64-qam	51.5/111.5	Erfolgreich
6	SC-QAM	44.6	64-qam	51.5/111.5	Erfolgreich
7	SC-QAM	37.2	64-qam	49.5/109.5	Erfolgreich
8	SC-QAM	30.8	64-qam	49.5/109.5	Erfolgreich

- English
- Deutsch
- Magyar
- Română
- Czech

Firmware-Version: 19.3B80-3.5.9

WAN-IPv4-Adresse: Redacted

WAN-IPv6-Adresse: Redacted