

Internet > Kabel-Informationen

↓ Empfangsrichtung

DOCSIS 3.1							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MER (dB)	PLC (MHz)	FFT Größe	nicht korrigierbare Fehler
193	4096QAM	134.975 - 324.975	-8.4	38	264	4K	56

DOCSIS 3.0							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
3	256QAM	570.000	-7.5	-36.6	0.32	33	0
4	256QAM	578.000	-7.3	-36.6	0.32	30	0
5	256QAM	586.000	-7.4	-36.4	0.32	32	0
6	256QAM	594.000	-7.3	-36.4	0.32	45	0
7	256QAM	602.000	-6.8	-36.4	0.32	53	0
8	256QAM	618.000	-6.7	-36.6	0.32	23	0
9	256QAM	626.000	-6.4	-35.8	0.32	96	6
10	256QAM	634.000	-6.4	-36.6	0.32	18	0

11	256QAM	642.000	-5.9	-36.6	0.32	11	0
12	256QAM	650.000	-6.5	-36.6	0.32	17	0
13	256QAM	658.000	-6.5	-36.6	0.32	14	0
14	256QAM	666.000	-6.4	-36.6	0.32	21	0
15	256QAM	674.000	-6.4	-36.4	0.32	23	0
16	256QAM	682.000	-6.3	-36.6	0.32	42	0
17	256QAM	690.000	-6.8	-36.4	0.32	46	0
2	256QAM	130.000	-9.3	-36.6	0.32	26862	5
65	64QAM	698.000	-12.7	-33.3	0.32	2	0
66	64QAM	706.000	-12.3	-33.8	0.32	0	0
67	64QAM	714.000	-11.9	-33.9	0.32	105	0
68	64QAM	722.000	-11.6	-33.8	0.32	141219	119012
69	64QAM	730.000	-12.2	-33.3	0.32	139561	366045
70	64QAM	738.000	-11.7	-33.8	0.32	62	0
71	64QAM	746.000	-12.1	-33.3	0.32	0	0
72	64QAM	754.000	-11.9	-33.4	0.32	0	0
73	64QAM	762.000	-11.6	-26.8	0.32	24728	0
74	64QAM	770.000	-11.8	-33.1	0.32	0	0
75	64QAM	778.000	-11.6	-33.0	0.32	5	0
76	64QAM	786.000	-11.9	-32.9	0.32	0	0
77	64QAM	794.000	-11.8	-31.0	0.32	224	0

78	64QAM	802.000	-11.6	-32.1	0.32	131	0
79	64QAM	810.000	-11.7	-30.7	0.32	2632	0

↑ Senderichtung

DOCSIS 3.1						
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Aktive Subcarrier	FFT Größe	
41	32QAM	29.775 - 64.775	49.0	640	2K	

DOCSIS 3.0				
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
1	64QAM	51.001	55.0	ATDMA
3	64QAM	37.201	55.5	ATDMA
2	64QAM	44.601	55.5	ATDMA