

↓ Empfangsrichtung

DOCSIS 3.0							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
3	256QAM	570.000	-6.9	-38.6	0.32	84844	4365
1	256QAM	114.000	0.0	-40.9	0.32	2550290000	217843
2	256QAM	130.000	0.6	-40.9	0.32	389611094	176648
4	256QAM	578.000	-6.3	-38.6	0.32	1892497771	475937166
5	256QAM	586.000	-6.8	-39.0	0.32	88460	2651
6	256QAM	594.000	-6.6	-39.0	0.32	79366	2987
7	256QAM	602.000	-6.9	-39.0	0.32	100251	3842
8	256QAM	618.000	-6.9	-39.0	0.32	78240	2426
9	256QAM	626.000	-6.9	-39.0	0.32	70169	2260
10	256QAM	634.000	-6.7	-39.0	0.32	49356	1970
16	256QAM	682.000	-5.8	-38.6	0.32	2176280000	573382056
17	256QAM	690.000	-5.5	-40.4	0.32	7362	1782
65	64QAM	698.000	-11.7	-35.0	0.32	6086	1856
66	64QAM	706.000	-11.6	-34.9	0.32	410878	1169426
67	64QAM	714.000	-11.6	-34.9	0.32	260686	467813
68	64QAM	722.000	-11.8	-34.9	0.32	304370	781170
69	64QAM	730.000	-11.7	-35.0	0.32	376044	1512340
70	64QAM	738.000	-12.1	-34.4	0.32	8159	1062
71	64QAM	746.000	-12.3	-34.3	0.32	9955	706
72	64QAM	754.000	-12.4	-34.4	0.32	11098	614
73	64QAM	762.000	-12.9	-33.4	0.32	357603	978
74	64QAM	770.000	-13.0	-33.8	0.32	21598	1179

75	64QAM	778.000	-13.0	-33.6	0.32	24829	1107
79	64QAM	810.000	-13.6	-32.5	0.32	31719137	364777

↑ Senderichtung

DOCSIS 3.0					
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren	
12	64QAM	30.800	51.0	ATDMA	
9	64QAM	51.000	51.0	ATDMA	
11	64QAM	37.200	51.0	ATDMA	
10	64QAM	44.600	51.0	ATDMA	