

Internet > Kabel-Informationen

↓ Empfangsrichtung

DOCSIS 3.1							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MER (dB)	PLC (MHz)	FFT Größe	nicht korrigierbare Fehler
33	4096QAM	134.975 - 324.975	-5.6	34	264	4K	494857

DOCSIS 3.0							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
11	256QAM	642.000	6.4	-34.3	0.32	1331	0
17	256QAM	690.000	4.4	-33.5	0.32	6424	0
13	256QAM	658.000	5.7	-33.8	0.32	2615	0
30	64QAM	794.000	-1.5	-28.7	0.32	2745	0
31	64QAM	802.000	-0.8	-29.8	0.32	423	0
32	64QAM	810.000	0.2	-30.4	0.32	10	0
26	64QAM	762.000	-1.9	-30.5	0.32	206	0
27	64QAM	770.000	-0.4	-30.8	0.32	16	0

28	64QAM	778.000	-1.9	-30.2	0.32	23	0
25	64QAM	754.000	-0.4	-30.8	0.32	170	0
1	256QAM	114.000	-1.3	-34.3	0.32	145	0
22	64QAM	730.000	-3.6	-29.8	0.32	142	0
23	64QAM	738.000	-2.5	-29.9	0.32	9	0
24	64QAM	746.000	-3.7	-29.7	0.32	305	0
21	64QAM	722.000	-2.0	-30.2	0.32	118	0
2	256QAM	130.000	-1.8	-33.3	0.32	5323	36219
18	64QAM	698.000	-2.8	-30.1	0.32	17	0
29	64QAM	786.000	-0.9	-30.6	0.32	8	0
19	64QAM	706.000	-2.5	-29.9	0.32	935	0
20	64QAM	714.000	-4.1	-29.4	0.32	5822	0
14	256QAM	666.000	4.9	-33.8	0.32	7223	0
16	256QAM	682.000	3.5	-33.4	0.32	11082	0
7	256QAM	602.000	5.6	-34.3	0.32	713	0
12	256QAM	650.000	5.9	-34.0	0.32	2277	0
15	256QAM	674.000	4.7	-33.5	0.32	4376	0
8	256QAM	618.000	6.7	-34.5	0.32	850	0
3	256QAM	570.000	4.2	-34.3	0.32	953	0
6	256QAM	594.000	5.6	-34.5	0.32	560	0
5	256QAM	586.000	5.9	-34.5	0.32	595	0

9	256QAM	626.000	6.3	-33.8	0.32	1838	0
10	256QAM	634.000	6.6	-34.0	0.32	1119	0
4	256QAM	578.000	4.9	-34.5	0.32	4094	0

↑ Senderichtung

DOCSIS 3.1					
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Aktive Subcarrier	FFT Größe
Ihr Internetanschluss unterstützt DOCSIS 3.1 in Senderichtung nicht.					

DOCSIS 3.0				
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
6	32QAM	44.600	64.3	ATDMA