

Internet > Kabel-Informationen

↓ Empfangsrichtung

DOCSIS 3.1							
Kanal ID	Mod...	Freq... (MHz)	Power Level (dBmV)	MER (dB)	PLC (MHz)	FFT Größe	nicht korrigierbare Fehler
193	4096...	134... - 324...	9.5	44	264	4K	0

DOCSIS 3.0							
Kanal ID	Mod...	Freq... (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
4	256Q...	578....	10.0	-40.9	0.32	0	0
3	256Q...	570....	10.4	-40.4	0.32	7	0
5	256Q...	586....	10.3	-40.4	0.32	7	0
6	256Q...	594....	10.0	-40.9	0.32	0	0
7	256Q...	602....	10.6	-40.9	0.32	0	0
8	256Q...	618....	11.2	-40.9	0.32	0	0
9	256Q...	626....	11.4	-40.9	0.32	7	0
10	256Q...	634....	11.5	-40.9	0.32	0	0
11	256Q...	642....	11.6	-40.4	0.32	5	0
12	256Q...	650....	11.9	-40.9	0.32	0	0
13	256Q...	658....	11.8	-40.9	0.32	0	0
14	256Q...	666....	12.0	-40.4	0.32	0	0
15	256Q...	674....	11.8	-40.9	0.32	6	0
16	256Q...	682....	12.1	-40.9	0.32	6	0
17	256Q...	690....	12.0	-40.9	0.32	0	0

1	256Q...	114.0...	10.7	-40.9	0.32	0	0
2	256Q...	130....	9.9	-40.9	0.32	0	0
65	64QAM	698....	6.2	-38.6	0.32	0	0
66	64QAM	706....	6.1	-37.6	0.32	0	0
67	64QAM	714....	5.9	-38.6	0.32	6	0
68	64QAM	722....	5.9	-37.6	0.32	4	0
69	64QAM	730....	5.5	-37.6	0.32	0	0
70	64QAM	738....	5.8	-38.6	0.32	0	0
71	64QAM	746....	5.7	-38.9	0.32	1	0
72	64QAM	754....	6.1	-38.6	0.32	0	0
73	64QAM	762....	6.0	-38.6	0.32	0	0
74	64QAM	770....	6.3	-38.6	0.32	6	0
75	64QAM	778....	6.0	-37.6	0.32	0	0
76	64QAM	786....	6.0	-37.6	0.32	3	0
77	64QAM	794....	5.6	-37.6	0.32	0	0
78	64QAM	802....	5.9	-37.3	0.32	5	0
79	64QAM	810....	5.9	-37.6	0.32	0	0

↑ Senderichtung

DOCSIS 3.1					
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Aktive Subcarrier	FFT Größe
41	512QAM	29.775 - 64.775	41.2	640	2K

DOCSIS 3.0				
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
2	64QAM	44.600	47.3	ATDMA
4	64QAM	30.800	47.0	ATDMA
3	64QAM	37.200	47.0	ATDMA

1	64QAM	51.000	47.0	ATDMA
---	-------	--------	------	-------