

Internet > Kabel-Informationen

↓ Empfangsrichtung

| DOCSIS 3.1 | | | | | | | |
|------------|------------|-------------------|--------------------|----------|-----------|-----------|----------------------------|
| Kanal ID | Modulation | Frequenz (MHz) | Power Level (dBmV) | MER (dB) | PLC (MHz) | FFT Größe | nicht korrigierbare Fehler |
| 31 | 4096QAM | 750.975 - 860.975 | -2.5 | 33 | 823 | 4K | 1455051835 |
| 32 | 4096QAM | 398.975 - 460.975 | 1.8 | 37 | 441 | 4K | 4870 |

| DOCSIS 3.0 | | | | | | | |
|------------|------------|----------------|--------------------|----------|-------------|----------------------|----------------------------|
| Kanal ID | Modulation | Frequenz (MHz) | Power Level (dBmV) | MSE (dB) | Latenz (ms) | korrigierbare Fehler | nicht korrigierbare Fehler |
| 29 | 256QAM | 738.000 | 1.2 | -33.5 | 0.32 | 8744125 | 0 |
| 26 | 256QAM | 698.000 | 1.3 | -33.8 | 0.32 | 4480797 | 0 |
| 30 | 256QAM | 746.000 | 0.6 | -33.4 | 0.32 | 20776438 | 0 |
| 27 | 256QAM | 706.000 | 1.2 | -33.5 | 0.32 | 7112505 | 116 |
| 16 | 256QAM | 618.000 | 2.3 | -34.3 | 0.32 | 281115 | 0 |

| | | | | | | | |
|----|--------|---------|-----|-------|------|---------|------|
| 19 | 256QAM | 642.000 | 2.5 | -34.0 | 0.32 | 1662177 | 14 |
| 25 | 256QAM | 690.000 | 1.8 | -33.8 | 0.32 | 2640718 | 0 |
| 7 | 256QAM | 538.000 | 2.2 | -34.9 | 0.32 | 58048 | 494 |
| 8 | 256QAM | 546.000 | 2.4 | -34.9 | 0.32 | 85868 | 318 |
| 9 | 256QAM | 554.000 | 1.8 | -34.5 | 0.32 | 590072 | 312 |
| 10 | 256QAM | 562.000 | 2.3 | -34.9 | 0.32 | 56585 | 238 |
| 11 | 256QAM | 570.000 | 2.8 | -34.6 | 0.32 | 152543 | 288 |
| 12 | 256QAM | 578.000 | 2.5 | -33.8 | 0.32 | 1690225 | 27 |
| 13 | 256QAM | 586.000 | 3.1 | -34.9 | 0.32 | 128376 | 0 |
| 14 | 256QAM | 594.000 | 1.5 | -34.3 | 0.32 | 418251 | 0 |
| 15 | 256QAM | 602.000 | 2.0 | -34.5 | 0.32 | 252185 | 0 |
| 17 | 256QAM | 626.000 | 3.0 | -34.3 | 0.32 | 432037 | 0 |
| 18 | 256QAM | 634.000 | 2.9 | -34.3 | 0.32 | 433236 | 54 |
| 20 | 256QAM | 650.000 | 2.8 | -34.3 | 0.32 | 436781 | 0 |
| 21 | 256QAM | 658.000 | 1.6 | -33.8 | 0.32 | 1133763 | 0 |
| 22 | 256QAM | 666.000 | 2.7 | -34.0 | 0.32 | 866304 | 0 |
| 23 | 256QAM | 674.000 | 2.3 | -34.0 | 0.32 | 1242159 | 8 |
| 24 | 256QAM | 682.000 | 2.0 | -33.4 | 0.32 | 7392828 | 24 |
| 1 | 256QAM | 474.000 | 1.1 | -35.1 | 0.32 | 83309 | 1815 |

| | | | | | | | |
|---|--------|---------|-----|-------|------|------------|------|
| 2 | 256QAM | 482.000 | 1.4 | -31.6 | 0.32 | 1139512931 | 3328 |
| 3 | 256QAM | 490.000 | 1.1 | -34.9 | 0.32 | 114018 | 1673 |
| 4 | 256QAM | 498.000 | 1.2 | -34.9 | 0.32 | 230823 | 742 |
| 5 | 256QAM | 522.000 | 1.1 | -34.9 | 0.32 | 110491 | 1428 |

↑ Senderichtung

| DOCSIS 3.1 | | | | | |
|------------|------------|-----------------|--------------------|-------------------|-----------|
| Kanal ID | Modulation | Frequenz (MHz) | Power Level (dBmV) | Aktive Subcarrier | FFT Größe |
| 5 | 64QAM | 29.775 - 64.775 | 38.8 | 640 | 2K |

| DOCSIS 3.0 | | | | |
|------------|------------|----------------|--------------------|---------------------|
| Kanal ID | Modulation | Frequenz (MHz) | Power Level (dBmV) | Multiplex-Verfahren |
| 4 | 32QAM | 51.000 | 44.0 | ATDMA |
| 2 | 64QAM | 37.200 | 45.3 | ATDMA |
| 3 | 64QAM | 44.600 | 43.8 | ATDMA |
| 1 | 64QAM | 30.800 | 44.5 | ATDMA |