

↓ Empfangsrichtung

DOCSIS 3.1								
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)				
1	0	4K	751 - 861	3.2				
2	1	4K	175 - 237	4.4				
DOCSIS 3.0								
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
1	2	256QAM	482	2.7	-36.6	0.32	5913	11669
2	1	256QAM	474	2.5	-36.6	0.32	6169	17628
3	3	256QAM	490	2.8	-36.4	0.32	6478	3439
4	4	256QAM	498	2.7	-36.4	0.32	1982	14470
5	5	256QAM	522	3.2	-36.6	0.32	1858	13326
6	6	256QAM	530	3.0	-36.6	0.32	2680	14642
7	7	256QAM	538	2.4	-36.4	0.32	2219	8110
8	8	256QAM	546	2.5	-36.6	0.32	2550	8520
9	9	256QAM	554	2.4	-36.4	0.32	2550	8370

9	9	256QAM	554	3.1	-36.6	0.32	2558	6373
10	10	256QAM	562	3.5	-36.6	0.32	4080	13059
11	11	256QAM	570	3.8	-36.6	0.32	4263	12914
12	12	256QAM	578	3.4	-36.4	0.32	2059	15846
13	13	256QAM	586	3.0	-36.6	0.32	3451	13909
14	14	256QAM	594	2.9	-36.6	0.32	2269	15716
15	15	256QAM	602	2.8	-36.6	0.32	2264	15671
16	16	256QAM	618	3.8	-36.4	0.32	2850	12263
17	17	256QAM	626	3.8	-36.4	0.32	3014	6101
18	18	256QAM	634	4.1	-36.4	0.32	4456	6302
19	19	256QAM	642	4.8	-36.6	0.32	8017	7418
20	20	256QAM	650	4.6	-36.4	0.32	6211	8738
21	21	256QAM	658	4.1	-36.4	0.32	7626	8013
22	22	256QAM	666	4.1	-36.4	0.32	7301	8102
23	23	256QAM	674	4.0	-36.6	0.32	6902	7575
24	24	256QAM	682	4.4	-36.4	0.32	6391	8518
25	25	256QAM	690	5.8	-36.6	0.32	3809	7044
26	26	256QAM	698	6.4	-36.4	0.32	5585	9218
27	27	256QAM	706	6.3	-36.6	0.32	1776	12623
28	28	256QAM	730	5.9	-35.8	0.32	1917	14845
29	29	256QAM	738	6.8	-35.6	0.32	3139	9426
30	30	256QAM	746	8.0	-35.6	0.32	5119	16245

↑ Senderichtung

DOCSIS 3.1					
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	
1	0	4K	54 - 65	26.8	OFDMA
DOCSIS 3.0					
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
1	1	16QAM	31	33.3	ATDMA
2	4	64QAM	51	31.5	ATDMA
3	3	64QAM	45	32.0	ATDMA
4	2	64QAM	37	33.0	ATDMA