

↓ Empfangsrichtung

DOCSIS 3.0

Ka...	Ka...	Typ	Fre...	Power	MSE	Latenz	korrigerbare Fehler	nicht korrigierbare Fehler
	ID		(M...	Level	(dB)	(ms)		
				(dBmV)				

1	3	25...	570	7.8	-40.4	0.32	0	0
2	1	25...	114	8.0	-39.0	0.32	0	0
3	2	25...	130	7.7	-39.0	0.32	6	0
4	4	25...	578	8.2	-39.0	0.32	6	0
5	5	25...	586	8.5	-40.4	0.32	5	0
6	8	25...	618	10.0	-40.4	0.32	0	0
7	9	25...	626	9.9	-40.4	0.32	6	0
8	10	25...	634	10.2	-40.9	0.32	4	0
9	11	25...	642	10.3	-40.4	0.32	5	0
10	12	25...	650	10.4	-40.9	0.32	5	0
11	13	25...	658	10.5	-40.4	0.32	5	0
12	14	25...	666	10.7	-40.4	0.32	5	0
13	15	25...	674	10.5	-40.4	0.32	5	0
14	17	25...	690	10.2	-40.4	0.32	0	0
15	67	64...	714	4.1	-35.5	0.32	3	0
16	70	64...	738	4.7	-35.7	0.32	3	0
17	72	64...	754	5.5	-36.6	0.32	3	0

18	73	64...	762	5.8	-36.3	0.32	0	0
19	78	64...	802	7.7	-36.6	0.32	2	0
20	79	64...	810	8.2	-37.3	0.32	0	0

↑ Senderichtung

DOCSIS 3.0						
Kanal	Kanal ID	Typ	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren	
1	2	16QAM	45	47.5	ATDMA	
2	4	16QAM	31	46.2	ATDMA	
3	3	16QAM	37	45.5	ATDMA	
4	1	16QAM	51	46.5	ATDMA	