



↓ Empfangsrichtung

DOCSIS 3.1							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MER (dB)	PLC (MHz)	FFT Größe	nicht korrigierbare Fehler
193	4096QAM	134.975 - 324.975	-0.1	43	264	4K	4
194	4096QAM	750.975 - 860.975	-2.1	38	822	4K	9

DOCSIS 3.0							
Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
4	256QAM	578.000	2.3	-40.4	0.32	6	0
3	256QAM	570.000	2.7	-40.4	0.32	12	0
5	256QAM	586.000	2.5	-40.4	0.32	7	0
6	256QAM	594.000	2.4	-40.4	0.32	0	0
7	256QAM	602.000	2.8	-40.4	0.32	0	0

8	256QAM	618.000	3.0	-40.9	0.32	0	0
9	256QAM	626.000	3.0	-40.4	0.32	14	0
10	256QAM	634.000	2.8	-40.4	0.32	0	0
11	256QAM	642.000	3.1	-40.9	0.32	7	0
12	256QAM	650.000	2.9	-40.4	0.32	0	0
13	256QAM	658.000	2.8	-40.4	0.32	0	0
14	256QAM	666.000	2.8	-40.4	0.32	0	0
15	256QAM	674.000	2.8	-40.4	0.32	0	0
16	256QAM	682.000	3.0	-40.4	0.32	7	0
17	256QAM	690.000	2.7	-40.4	0.32	0	0
1	256QAM	114.000	-1.0	-40.4	0.32	49	0
2	256QAM	130.000	-1.0	-40.4	0.32	9	0
18	256QAM	698.000	2.8	-40.4	0.32	7	0
19	256QAM	706.000	2.2	-40.4	0.32	13	0
20	256QAM	714.000	1.9	-39.0	0.32	0	0
21	256QAM	722.000	2.0	-40.4	0.32	0	0
22	256QAM	730.000	2.9	-40.9	0.32	13	0
23	256QAM	738.000	2.7	-39.0	0.32	7	0
24	256QAM	746.000	2.2	-38.6	0.32	0	0

## ↑ Senderichtung

### DOCSIS 3.1

Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Aktive Subcarrier	FFT Größe
<b>43</b>	128QAM	29.775 - 64.775	35.0	640	2K

### DOCSIS 3.0

Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
<b>12</b>	64QAM	51.000	40.8	ATDMA
<b>9</b>	64QAM	30.800	41.0	ATDMA
<b>11</b>	64QAM	44.600	40.8	ATDMA
<b>10</b>	64QAM	37.200	40.8	ATDMA