

Internet > Kabel-Informationen

↓ Empfangsrichtung

DOCSIS 3.1							
Kanal ID	Modu...	Frequ... (MHz)	Power Level (dBmV)	MER (dB)	PLC (MHz)	FFT Größe	nicht korrigierbare Fehler
193	4096...	-	-0.9	39	823	4K	14
		750.975 860.975					
194	4096...	-	1.4	41	441	4K	0
		398.975 460.975					

DOCSIS 3.0							
Kanal ID	Modu...	Frequ... (MHz)	Power Level (dBmV)	MSE (dB)	Latenz (ms)	korrigierbare Fehler	nicht korrigierbare Fehler
12	256Q...	578.000	3.4	-40.4	0.32	814	0
11	256Q...	570.000	3.1	-40.9	0.32	756	0
13	256Q...	586.000	3.4	-40.4	0.32	687	0
14	256Q...	594.000	3.1	-40.9	0.32	797	0
15	256Q...	602.000	3.7	-40.9	0.32	796	0
16	256Q...	618.000	3.8	-40.4	0.32	826	0
17	256Q...	626.000	3.7	-40.4	0.32	968	0
18	256Q...	634.000	3.4	-40.4	0.32	1021	0
19	256Q...	642.000	4.1	-40.4	0.32	1005	0
20	256Q...	650.000	3.6	-40.9	0.32	1073	0
21	256Q...	658.000	3.4	-40.4	0.32	1040	0
22	256Q...	666.000	3.7	-40.4	0.32	1040	0
23	256Q...	674.000	3.4	-40.4	0.32	1014	0

24	256Q...	682.000	4.1	-40.4	0.32	956	0
25	256Q...	690.000	3.8	-40.4	0.32	906	0
1	256Q...	474.000	1.8	-40.4	0.32	730	0
2	256Q...	482.000	1.5	-39.0	0.32	798	0
3	256Q...	490.000	1.3	-38.6	0.32	838	0
4	256Q...	498.000	1.9	-39.0	0.32	847	0
5	256Q...	522.000	2.1	-40.4	0.32	628	0
6	256Q...	530.000	2.3	-40.4	0.32	655	0
7	256Q...	538.000	2.8	-40.4	0.32	660	0
8	256Q...	546.000	3.0	-40.4	0.32	642	0
9	256Q...	554.000	2.7	-40.4	0.32	783	0
10	256Q...	562.000	2.9	-40.4	0.32	710	0
26	256Q...	698.000	3.5	-40.4	0.32	868	0
27	256Q...	706.000	4.0	-40.4	0.32	821	0
28	256Q...	730.000	3.8	-40.9	0.32	576	0
29	256Q...	738.000	3.8	-40.4	0.32	499	0
30	256Q...	746.000	3.8	-40.4	0.32	457	0

↑ Senderichtung

DOCSIS 3.1

Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Aktive Subcarrier	FFT Größe
41	32QAM	29.775 - 64.775	42.5	640	2K

DOCSIS 3.0

Kanal ID	Modulation	Frequenz (MHz)	Power Level (dBmV)	Multiplex-Verfahren
2	64QAM	37.200	48.3	ATDMA
4	64QAM	51.000	47.8	ATDMA
3	64QAM	44.600	47.5	ATDMA

1	16QAM	30.800	48.0	ATDMA
---	-------	--------	------	-------